ELSEVIER

Developmental Brain Research 132 (2001) 179–180

DEVELOPMENTAL BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Achim, C.L., see Avramut, M. (132) 151
Almli, L.M., Hamrick, S.E.G., Koshy, A.A., Täuber, M.G. and Ferriero, D.M.
Multiple pathways of neuroprotection against oxidative stress and excitotoxic injury in immature primary hippocampal neurons (132) 121
Arneric, S.P., see Schröder, H. (132) 33
Avramut, M., Zeevi, A. and Achim, C.L.
The immunosuppressant drug FK506 is a potent trophic agent for human fetal neurons (132) 151

Baratta, J., Ha, D.H., Yu, J. and Robertson, R.T.
Evidence for target preferences by cholinergic axons originating from different subdivisions of the basal forebrain (132) 15
Barks, J.D.E., see Xu, H. (132) 175
Bronzino, J., see Kehoe, P. (132) 23
Burghaus, L., see Schröder, H. (132) 33

Camm, E.J., Gibbs, M.E. and Harding, R.
Restriction of prenatal gas exchange impairs memory consolidation in the chick (132) 141
Costa, P.F., see Fernandes, J. (132) 159

deVos, R.A.I., see Schröder, H. (132) 33
Draguhn, A., see Frahm, C. (132) 1

Erzurumlu, R.S., see Genc, B. (132) 107
Erzurumlu, R.S., see Guido, W. (132) 97

Fernandes, J., Marvão, P., Santos, A.I. and Costa, P.F.
Sodium channel currents in maturing acutely isolated rat hippocampal CA1 neurones (132) 159
Ferriero, D.M., see Almli, L.M. (132) 121
Frahm, C. and Draguhn, A.
GAD and GABA transporter (GAT-1) mRNA expression in the developing rat hippocampus (132) 1
Fukamachi, S., Furuta, A., Ikeda, T., Ikenoue, T., Kaneoka, T., Rothstein, J.D. and Iwaki, T.
Altered expressions of glutamate transporter subtypes in rat model of neonatal cerebral hypoxia–ischemia (132) 131
Furuta, A., see Fukamachi, S. (132) 131
Fushiki, S., see Hinoue, A. (132) 59

Genc, B., Ma, L. and Erzurumlu, R.S.
Whisker-related neural patterns develop normally despite severe whisker defects in *Msx2* knockout mice (132) 107
Gibbs, M.E., see Camm, E.J. (132) 141
Guido, W., Lo, F.-S. and Erzurumlu, R.S.
Synaptic plasticity in the trigeminal principal nucleus during the period of barrelette formation and consolidation (132) 97
Gulyaeva, N.V., see Kudryashov, I.E. (132) 113

Ha, D.H., see Baratta, J. (132) 15
Hamrick, S.E.G., see Almli, L.M. (132) 121
Happich, E., see Schröder, H. (132) 33
Harding, R., see Camm, E.J. (132) 141
Hinoue, A., Fushiki, S., Nishimura, Y. and Shiota, K.
In utero exposure to brief hyperthermia interferes with the production and migration of neocortical neurons and induces apoptotic neuronal death in the fetal mouse brain (132) 59

Ikeda, T., see Fukamachi, S. (132) 131
Ikenoue, T., see Fukamachi, S. (132) 131
Iwaki, T., see Fukamachi, S. (132) 131

Kanayama, N., see Shu, F. (132) 91
Kaneoka, T., see Fukamachi, S. (132) 131
Kehoe, P., Mallinson, K., Bronzino, J. and McCormick, C.M.
Effects of prenatal protein malnutrition and neonatal stress on CNS responsiveness (132) 23
Koshy, A.A., see Almli, L.M. (132) 121
Kudryashov, I.E., Onufriev, M.V., Kudryashova, I.V. and Gulyaeva, N.V.
Periods of postnatal maturation of hippocampus: synaptic modifications and neuronal disconnection (132) 113
Kudryashova, I.V., see Kudryashov, I.E. (132) 113
Kuriyama, K., see Shu, F. (132) 91
Kuryatov, A., see Schröder, H. (132) 33

Li, Z., Lin, H., Zhu, Y., Wang, M. and Luo, J.
Disruption of cell cycle kinetics and cyclin-dependent kinase system by ethanol in cultured cerebellar granule progenitors (132) 47
Lin, H., see Li, Z. (132) 47
Lindstrom, J., see Schröder, H. (132) 33
Liu, Y.-Q., see Xu, H. (132) 175
Lo, F.-S., see Guido, W. (132) 97
Luo, J., see Li, Z. (132) 47

Ma, L., see Genc, B. (132) 107
Maelicke, A., see Schröder, H. (132) 33
Mallinson, K., see Kehoe, P. (132) 23
Marvão, P., see Fernandes, J. (132) 159
McCormick, C.M., see Kehoe, P. (132) 23
Monteggia, L., see Schröder, H. (132) 33
Moser, N., see Schröder, H. (132) 33

Nishimura, Y., see Hinoue, A. (132) 59
Nowacki, S., see Schröder, H. (132) 33

Ohno, K., see Shu, F. (132) 91
Onufriev, M.V., see Kudryashov, I.E. (132) 113

Pyle, S.J., Roberts, K.G. and Reuhl, K.R.
Delayed expression of the NFH subunit in differentiating P19 cells (132) 103

Reuhl, K.R., see Pyle, S.J. (132) 103
Roberts, K.G., see Pyle, S.J. (132) 103
Robertson, R.T., see Baratta, J. (132) 15
Rothstein, J.D., see Fukamachi, S. (132) 131

Santos, A.I., see Fernandes, J. (132) 159
Sato, K., see Shu, F. (132) 91
Schröder, H., Schütz, U., Burghaus, L., Lindstrom, J., Kuryatov, A., Monteggia, L., deVos, R.A.I., van Noort, G., Wevers, A., Nowacki, S., Happich, E., Moser, N., Arneric, S.P. and Maelicke, A.
Expression of the α4 isoform of the nicotinic acetylcholine receptor in the fetal human cerebral cortex (132) 33
Schütz, U., see Schröder, H. (132) 33
Seidler, F.J., see Slotkin, T.A. (132) 69
Sharma, R.K.
Bcl-2 expression during the development and degeneration of RCS rat retinae (132) 81
Shiota, K., see Hinoue, A. (132) 59
Shu, F., Ohno, K., Wang, T., Kuriyama, K.,

0165-3806/01/$ – see front matter
PII: S0165-3806(01)00320-0

Ueki, T., Kanayama, N. and Sato, K.
Developmental changes in PSD-95 and Narp mRNAs in the rat olfactory bulb (132) 91
Silverstein, F.S., see Xu, H. (132) 175
Slotkin, T.A., Seidler, F.J. and Yanai, J.
Heroin neuroteratogenicity: targeting adenylyl cyclase as an underlying biochemical mechanism (132) 69

Takiguchi-Hayashi, K.
In vitro clonal analysis of rat cerebral cortical neurons expressing latexin, a subtype-specific molecular marker of glutamatergic neurons (132) 87
Täuber, M.G., see Almli, L.M. (132) 121

Ueki, T., see Shu, F. (132) 91

van Noort, G., see Schröder, H. (132) 33

Wang, M., see Li, Z. (132) 47
Wang, T., see Shu, F. (132) 91
Wevers, A., see Schröder, H. (132) 33

Xu, H., Barks, J.D.E., Liu, Y.-Q. and Silverstein, F.S.
AMPA-Induced suppression of oligodendroglial gene expression in neonatal rat brain (132) 175

Yanai, J., see Slotkin, T.A. (132) 69
Yu, J., see Baratta, J. (132) 15

Zeevi, A., see Avramut, M. (132) 151
Zhu, Y., see Li, Z. (132) 47